

Field Sobriety Tests

This presentation may contain materials created by others. Such material is used under a claim of fair use pursuant to the Fair Use guidelines for the purpose of engaging in face-to-face instructional education activities. Additional use or distribution of that material is prohibited.

7	

FST Demonstrations

- Demonstrative Evidence
 - Admissible if relevant & aids jury "in understanding and determining the facts." Slow Development Co. v. Coulter, 88 Ariz. 122, 129 (1960).
 - Bledsoe v. Salt River Valley Water Users' Association, 179 Ariz. 469 (App. 1994).



FIELD SOBRIETY TESTS

- Horizontal Gaze Nystagmus
- Walk & Turn
- One Leg Stand
- Rhomberg-Modified
- Finger to Nose
- Finger Count
- Hand Trace
- Alphabet





Generally They Are All Standardized Tests


- Administered in the same manner
- Always graded the same way





Divided Attention Task

A task which requires the subject to concentrate on both mental and physical tasks



•

Don't Forget "Non-cue" Evidence

- Does not watch feet at all times
- Incriminating statements
- Slurred speech
- Incorrect counting
- Starts before told to (OLS)
- Does not look at foot
- Does not point toe
- Not dividing as much attention easier







Horizontal Gaze Nystagmus

An involuntary jerking of the eyes as they gaze toward the side



Additional HGN Evidence

- Unable to keep head still
 - Very common with higher readings
- Noticeable sway



Vertical Gaze Nystagmus (VGN)

- Involuntary jerking of the eyes in the vertical
- The eyes move up and & held for at least 4 seconds
- If observed, indicates high dose of alcohol for that person (or certain drugs)



Trial Tips



- Always ask officer before having him/her demonstrate FSTs
- Listen to your witness
- May want use experienced officer or criminalist to bolster FSTs/HGN testimony
- Other DUI evidence supports FSTs



More Trial Tips



- Interview and work with your officer
 - Pass/fail
 - VGN
 - Resting nystagmus
 - 4-6 cues = .08
 - Specific issues shoes, contacts, glasses, weight
 - Familiarity with studies



What if the Defendant "Passes" an FST?

- Don't hide the fact
- Point out any present cues (they are still signs and symptoms of impairment)
- Emphasize other symptoms of impairment present
- Remember, a DUI investigation is the totality of the circumstances

	1		
	1		
	ı		
	4		
		-	i
	•		

Tolerance

- Practiced drinkers will see less physical signs
- Use experts defense & state
- All impaired at .08 no matter how tolerant
- MOST impaired at .05 (Stoltman)
- HGN



What If There Are No FSTs

- Defendant refused = consciousness of guilt
- FSTs not given bring out why
 - Officer Safety
 - Safety of the Defendant
 - Bad location
 - Language barrier
- Emphasize other evidence



Field Sobriety Tests

- May comment on refusal to take
- 5th Amendment does not apply
- 4th Amendment does not prevent comment
- Probable cause not required

State v. Theriault, 144 Ariz. 166 (App. 1984); State v. Superior Court (Spears, RPI), 154 Ariz. 275 (App. 1987).





Validated as Opposed to Not Valid

- SFSTs validated for predicting at or above certain BAC
- The validation (standardized) relates to BAC



Validated as Opposed to Not Valid

- FSTs are also good for demonstrating impairment
 - training & experience
 - observations
 - studied & manuals
 - common sense



Validated As Opposed to Not Valid

- Studies found numerous FSTs are sensitive to alcohol
- Merely determined the best set
- Others are Not invalid
- FSTs existed long before the validation studies



SFST Validation Studies

- Mostly relate to HGN in Arizona
 - Validation is for above .08/.10
 - Albrect cannot use this way in AZ for W&T and OLS, etc.
- NOT a basis to suppress W&T or OLS (>65; overweight, etc.)
 - Albrect
 - Rule 702 does not apply Blake

_



VGN

- Manual not in original research but field use has proven VGN reliable indicator of high dose Etoh & DID drugs for that individual
- Studies Citek 2003 & 2011
- No AZ case says does not meet Rule 702 or is not admissible



HGN Testimony - with a blood/breath test

- May testify
 - based on training & experience, 4 or more clues on HGN = BAC of .08 or more
 - may testify how accuracy rating is determined

State v. Superior Court (Blake, RPI) -1986; State ex rel. McDougal v. Ricke -1989



HGN Testimony – without a breath/blood test

- May not testify
 - based on training and experience, 4 or more clues on HGN = BAC of .08 or more
 - how accuracy rating is determined
- May testify
 - "neurological impairment one cause of which might be alcohol impairment"
 - each clue is a sign or symptom of impairment
 - HGN is the most accurate of the FSTs

•State ex rel. Hamilton v. City Court (Lopresti, RPI) -1990



HGN

- Sway is a sign or symptom
- Inability to follow stimulus strong symptom of impairment
- Inability to keep head still = strong symptom

_	

HGN

- Bring out officer checked
 - Equal tracking
 - Equal pupil size
 - Resting nystagmus (pre-try)
 - Conditions were appropriate

	п	
	ı	
	ı	
	ш	

FST Testimony

- Not Limited to "Signs and Symptoms"
 - May testify re: purpose "an attempt to determine if intoxicated"
 - May use word "pass", "fail", and "test"
- May Not quantify BAC with general FSTs

State v. Askren, 147 Ariz. 436 (App. 1985); State v. Campoy (Cordova, RPI), 214 Ariz. 132, (App. 2007); Fuenning v. Superior Court, 139 Ariz. 590 (1983); State ex rel. v. McDougall v. Albrecht (Williams, RPI), 168 Ariz. 128 (App. 1991).



Rule 702/Daubert

- Should Not Apply to General FSTs
- State v. Superior Court (Blake, RPI), 149 Ariz. 269 (1986); State ex rel. McDougall v. Ricke, 161 Ariz. 462 (App. 1989); State ex rel. Hamilton v. City Court (Lopresti, RPI), 165 Ariz. 514 (1990).
- Will Apply to HGN
 - Emphasize officer's training/experience
 - Can get studies in through other means
 - TSRP has materials



Studies That Respond To Common Ploys



2007 HGN Robustness Study

- Variations in stimulus speed
 - Optimal speed center to side = 2 seconds
 - Slower no effect
 - Faster = false negative errors
- Manuals also recognize
 - Prior 45 degrees Use full 4 seconds (full pass) if move too fast may go past point of onset or miss it.



Robustness - 2007

- Eye elevation
 - 1st test period = no significant differences
 - \bullet 2nd = errors only resulted in false negatives
 - 2 inches above eye = most negative
 - Raising eye 4 inches does not engage different eye muscles
- Distance of stimulus to face
 - Increased distance = did not alter results
 - Decreased distance = increased accuracy



Robustness - 2007

- Variations in subject's prostitution
 - Standing, sitting & lying down = no significant differences
 - Citek found same
- Subjects with vision in only one eye
 - HGN is reduced in a non-functioning eye
 - Increased false negatives
 - No evidence leads to false arrests


Citek Sleep Deprivation Study - 2011

- 2 test sessions
 - Full night's rest & awake for at least 24 hours
- Presence & # of validated impairment cues up w/ BAC not w/ lack of sleep
- Sleep deprivation alone does not affect motor skills in a manner that would lead officers to conclude suspect is impaired



SFSTs

- Most incorrect arrest decisions actually let people over the limit go
- Minor variations in administration have no affect
- Mistakes benefit defendant
- Almost nothing the officer does will induce indicators of impairment





If Officer is Not Perfect, FSTs Should be Given no Weight

- Robustness study is on point
- Much more likely to err in def.'s benefit
- Did officer make it easier or tougher?
- Almost nothing officer does will induce signs of impairment



If Officer is not Perfect, FSTs Should be Given no Weight

- Validation only goes to numbers argue demonstrated impairment
- Use breath/blood test officer HGN was correct
- Totality of circumstances
- Common sense



Can't Give SFSTs if > 65 or Bad Knees/Back

- Original studies indicate may have difficulty doing W&T & OLS (manual mentions)
- Neither say do not give
- Field studies gave to ALL drivers
- Officers trained to take into account



Can't Give SFSTs if > 65 or bad knees/back

- Use juror's/judge's common sense
- Mental & physical tasks
- Where is subject having difficulty?
- Will not impact HGN
- Did suspect complain of physical ailments?

•		
-		



Can't Give SFSTs if > 50 lbs overweight

- Only applies to OLS
- Mental & physical tasks
- Where is person having difficulty?
- Will not impact HGN
- Did officer take into account?



Can't Give SFSTs if 2 inch heels or greater

- Original studies indicate may have difficulty doing W&T & OLS (manual mentions)
- REMEDY allow to take shoes off
- Argue poor judgment & impairment
- Mental & physical tasks
- Where is the person having difficulty?
- Will not impact HGN



Must Have Real Line for W&T

- Manual says real or imaginary line (ARIDE designated straight line)
- Line impacts very small portion of the test
- Officer's training/experience
- Juror's common sense

4	1



HGN Common Ploys

- 47 different types of HGN
 - Not true 47 types of <u>nystagmus</u> HGN is just one type
- -4 6 cues = .05 not .08
- Potential head injury
- Strobe lights, car's passing
- How determine angle of onset?
- It's "Voodoo"



HGN Common Ploys

- Can't see due to sway
- Contacts
- Poor eyesight glasses
- Emphasize officer was correct!



HGN is the Most Reliable Field Sobriety Test

- Involuntary
- Coordination does not influence
- Tolerance does not influence
- Shoes & ground surface do not influence
- Highest validation
- Use this for common ploys



7 L



What if Defendant Claims Natural Nystagums?

- Rule 15.4
- VERY small % of population has it





HGN Angle of Onset

- Defense Ploy:
 - Get DRE officer to use angle of onset formula to quantify BAC
 - Try to assert 4 cues = <.05 BAC





HGN Angle of Onset

- Even DRE officer not allowed to quantify BAC using HGN
- Limited to above or below .08 testimony
- Corroborates blood test

State v. Superior Court (Blake, RPI), 149 Ariz. 269 (1986); State ex rel. McDougall v. Ricke, 161 Ariz. 462 (App. 1989).



Final Reminder

- Do not get so focused on defense ploys that you fail to bring out the totality of the circumstances.
- Poor driving, admissions, breath/blood tests other impairment all corroborate the FSTs.

